

## CONTENTS OF VOLUME 32

### Number 1

- 1 One-step introduction of amine and ammonium groups and cross-linking of polygalacturonic acid  
I. ŠIMKOVIC (Slovakia)
- 7 Physical and structural properties of barley (1 → 3), (1 → 4)- $\beta$ -D-glucan. Part I. Determination of molecular weight and macromolecular radius by light scattering  
C. GÓMEZ, A. NAVARRO, P. MANZANARES, A. HORTA & J. V. CARBONELL (Spain)
- 17 Physical and structural properties of barley (1 → 3), (1 → 4)- $\beta$ -D-glucan. Part II. Viscosity, chain stiffness and macromolecular dimensions  
C. GÓMEZ, A. NAVARRO, P. MANZANARES, A. HORTA & J. V. CARBONELL (Spain)
- 23 Thermoreversible gels of chitin  
E. BIANCHI, E. MARSANO & A. TACCHINO (Italy)
- 27 Separation and quantification of pectins using capillary electrophoresis: a preliminary study  
H.-J. ZHONG, M. A. K. WILLIAMS, R. D. KEENAN, D. M. GOODALL (UK) & C. ROLIN (Denmark)
- 33 Calorimetric evaluation of the glass transition in hydrated, linear and branched polyanhydro-glucose compounds  
H. BIZOT, P. LE BAIL, B. LEROUX, J. DAVY, P. ROGER & A. BULEON (France)
- 51 Preparation and anti-HIV activity of low-molecular-weight carrageenans and their sulfated derivatives  
T. YAMADA, A. OGAMO, T. SAITO, J. WATANABE, H. UCHIYAMA & Y. NAKAGAWA (Japan)
- 57 Characterization of the cellulosic residues from lithium chloride/*N,N*-dimethylacetamide dissolution of softwood kraft pulp  
E. SJÖHOLM, K. GUSTAFSSON, B. PETTERSSON & A. COLMSJÖ (Sweden)
- 65 The effect of retrogradation on enzyme susceptibility of sago starch  
R. CUI & C. G. OATES (Singapore)
- 73 Bibliography of Carbohydrate Polymers
- 79 Calendar

### Number 2

- 81 Further observations on the size, shape and hydration of kappa-carrageenan in dilute solution  
S. E. HARDING, K. DAY, R. DHAMI & P. M. LOWE (UK)
- 89 New investigations on heparin-like derivatized dextrans: CMDBS, synergistic role of benzylamide and sulfate substituents in anticoagulant activity  
O. MAIGA-REVEL, F. CHAUBET, J. JOZEFONVICZ (France)
- 95 The physical state of amorphous corn starch and its impact on crystallization  
K. JOUPPILA & Y. H. ROOS (Finland)
- 105 Design of quaternary chitosan conjugate having antennary galactose residues as a gene delivery tool  
J.-i. MURATA, Y. OHYA & T. OUCHI (Japan)
- 111 Thermal behavior of galactomannan guar gum and its periodate oxidation products  
A. J. VARMA, S. P. KOKANE, G. PATHAK & S. D. PRADHAN (India)
- 115 Influence of chain length of *N*-acetyl-D-glucosamine and D-glucosamine residues on direct and complement-mediated chemotactic activities for canine polymorphonuclear cells  
Y. USAMI, S. MINAMI, Y. OKAMOTO, A. MATSUHASHI & Y. SHIGEMASA (Japan)

- 123 The glass transition and the sub- $T_g$  endotherm of amorphous and native potato starch at low moisture content  
H. J. THIEWES & P. A. M. STEENEKEN (The Netherlands)
- 131 The gelation of dialdehyde starch  
S. VEELAERT, D. DE WIT, K. F. GOTLIEB (The Netherlands) & R. VERHÉ (Belgium)
- 141 Sequence-dependent kinetic trapping of biphasic structures in maltodextrin–whey protein gels  
P. MANOJ, S. KASAPIS & M. W. N. HEMBER (UK)
- 155 Chemical modifications of the xylan from *Palmaria decipiens*  
J. R. JEREZ, B. MATSUHIRO & C. C. URZÚA (Chile)
- 161 Bibliography of Carbohydrate Polymers
- 169 Calendar

### Number 3/4

- 171 Mercapto-chitins: a new type of supports for effective immobilization of acid phosphatase  
K. KURITA, H. YOSHINO, S.-I. NISHIMURA, S. ISHII, T. MORI & Y. NISHIYAMA (Japan)
- 177 Microscopy of starch: evidence of a new level of granule organization  
D. J. GALLANT, B. BOUCHET & P. M. BALDWIN (France)
- 193 Synthesis of anionic poly(ethylene glycol) derivative for chitosan surface modification in blood-contacting applications  
M. M. AMIJI (USA)
- 201 Molecular modeling of xanthan : galactomannan interactions  
R. CHANDRASEKARAN & A. RADHA (USA)
- 209 Thallium(I) starchate  
W. BARAN, M. SIKORA, P. TOMASIK (Poland) & J. W. ANDEREGG (USA)
- 213 Screening the physical properties of novel *Pseudomonas* exopolysaccharides by HPSEC with multi-angle light scattering and viscosity detection  
M. L. FISHMAN, P. CESCUTTI, W. F. FETT, S. F. OSMAN, P. D. HOAGLAND & H. K. CHAU (USA)
- 223 Preparation of a novel (1→4)- $\beta$ -D-glycan by *Acetobacter xylinum*—a proposed mechanism for incorporation of a *N*-acetylglucosamine residue into bacterial cellulose  
A. SHIRAI, N. SAKAIRI, N. NISHI & S. TOKURA (Japan)
- 229 Optimization of a process for preparing carboxymethyl cellulose from water hyacinth (*Eichornia crassipes*)  
B. K. BARAI, R. S. SINGHAL & P. R. KULKARNI (India)
- 233 Regenerated chitin from phosphoric acid solutions  
M. VINCENDON (France)
- 239 Synthesis of starch-based drug carrier for the control/release of estrone hormone  
C.-Y. WON, C.-C. CHU (USA) & T.-J. YU (Republic of China)
- 245 Rapid purification of commercial gellan gum to highly soluble and gellable monovalent cation salts  
L. W. DONER (USA)
- 249 Effect of exo- $\beta$ -D-(1→3)-galactanase digestion on complement activating activity of neutral arabinogalactan unit in a pectic arabinogalactan from roots of *Angelica acutiloba* Kitagawa  
H. KIYOHARA, Y. ZHANG & H. YAMADA (Japan)
- 255 Conformational statistics of pectin substances in solution by a Metropolis Monte Carlo study  
B. BOUTHERIN, K. MAZEAU (France) & I. TVAROSKA (France/Slovak Republic)
- 267 High moisture twin screw extrusion of sago starch. II. Saccharification as influenced by thermomechanical history  
S. GOVINDASAMY (Republic of Singapore), O. H. CAMPANELLA (New Zealand) & C. G. OATES (Republic of Singapore)
- 275 Determination of the polymorphic composition of smooth pea starch  
P. CAIRNS, T. YA. BOGRACHEVA, S. G. RING, C. L. HEDLEY & V. J. MORRIS (UK)
- 283 End-products of enzymic saccharification of beet pulp, with a special attention to feruloylated oligosaccharides  
V. MICARD, C. M. G. C. RENARD (France), I. J. COLQUHOUN (UK) & J.-F. THIBAUT (France)

- 293 Alkaline modification of carrageenans. Part III. Use of milk alkaline media and high ionic strengths  
M. CIANCIA, M. C. MATULEWICZ & A. S. CEREZO (Argentina)
- 297 Rheological properties of highly cross-linked waxy maize starch in aqueous suspensions of skim milk components. Effects of the concentration of starch and skim milk components  
A. M. MATSER & P. A. M. STEENEKEN (The Netherlands)
- 307 Synthesis of two distinct exopolysaccharide fractions by cultures of the polymorphic fungus *Aureobasidium pullulans*  
N. S. MADI, L. M. HARVEY, A. MEHLERT & B. McNEIL (Scotland)
- 315 Heteroxylans from maize bran in aqueous solution. Part II: Studies of polyelectrolyte behaviour  
E. CHANLIAUD, L. SAULNIER & J.-F. THIBAUT (France)
- 321 Bibliography of Carbohydrate Polymers
- 327 Calendar
- 329 Erratum